



PLAYDO PROFILE

Beijing Playdo Outdoor Products Co., Ltd. is specialized in outdoor equipment development, design, production and sales. Our main products include car roof tent, camping tent, RV awning tent, trailers tent, sleeping bag, BBG grill, folding table and chair, etc. PLAYDO is our own intellectual property brand, headquarter is located in Beijing, factory in Tianjin. Our products have been exported to more than 30 countries and regions, such as Europe, USA, Australia, Japan, Korea and Southeast Asia. We have constant pursuit of technological innovation and adhere to use the latest international quality materials to provide high-performance products and the best service.

PLAYDO aims to be a brand with a good balance of quality, stylish, simple and convenient. PLAYDO adopts the best material, the most stylish shape, the simplest design and the easiest use to meet user's high demand of quality, taste, enjoyment and natural experience.





CONTENTS

■ Roof Top Tent

| | |
|--------------------------|---|
| Hard Shell Roof Top Tent | 1 |
| Soft Roof Top Tent | 3 |
| Automatic Roof Top Tent | 5 |

■ Camping Tent

| | |
|-------------------------|---|
| Inflatable Camping Tent | 7 |
| Swag Tent | 8 |
| Bell Tent | 9 |

■ Inflatable Caravan Awnings

| | |
|----------------------------|----|
| Inflatable Caravan Awnings | 11 |
|----------------------------|----|

■ Camping Accessories

| | |
|----------------|----|
| Awnings | 12 |
| Folding Tables | 13 |
| Folding Chairs | 14 |
| Camping Light | 15 |
| Sleeping Bag | 16 |
| BBQ grill | 17 |

> ROOF TOP TENT



HARD SHELL ROOF TOP TENT

- Simple to mount on the top of many vehicles, prevent the harassment of bug, dirt and moisture
- Open/close within seconds by unique hydraulic support system/rocker arm
- High quality breathable canvas is UV proof and 100% waterproof
- Fiberglass hard shell can against any extreme weather and bring more luxury experience
- Excellent ventilation from double windows and doors



Shell color ☐ ☐

Fabric color ☐ ☐ ☐

CARTT01

Opened size: 210x125x90 cm

Closed size: 210x125x29 cm

Package size: 226x140x40 cm

Body: 280g polyester cotton canvas PU coated, UV resistant,
2000 mm-3000 mm waterproof

Shell: Glass fiber composite materials

Supporting poles: Stainless steel rod

Color options: Khaki /grey /green for fabric; black /white for shell

N.W.: 60 kg

G.W.: 75 kg



> **ROOF TOP TENT**

| Model | Opened size | Open mode |
|-----------|---------------|------------------------------|
| CARTT01-1 | 210×125×90 cm | Automatic opening(gas strut) |
| CARTT01-2 | 210×125×90 cm | Crank handle |
| CARTT01-3 | 215×145×95 cm | Automatic opening(gas strut) |



MATTRESS

200x116x6 cm
non-deforming sponge
30 density



LADDER

Aluminum telescopic ladder
70-230 cm



ANNEX

220X180X300 cm
280g polyester cotton canvas
PU coated

> ROOF TOP TENT



- Ultra-light weight in compact size, easily mounted on the car
- 280g polyester-cotton(canvas)PU 2000mm,W/P,W/R
- Easy to up/down with high quality telescopic alloy ladder
- Bring you more home feeling in wild field,suitable for
1~2 persons/2~3 persons/3~4 persons
- 6cm mattress provides more comfort
- Awnings /awning houses are optional which can expand the space

CARTT02

Opened size: 310x140x130 cm

Closed size: 143x123x26 cm

Package size: 145x125x30 cm

Body: 280g polyester cotton (canvas); 600D rip-stop fabric with waterproof ventilate coating,
dual stitched taped seams, UV and mold resistant

Rain fly: 420D polyester oxford with taped seams and PU coated

Travel cover: 550g PVC in black

N.W.: 55 kg

G.W.: 65 kg

Base construction: Aluminum alloy frame, double clamp, heat insulation, moisture proof

Color: 



> ROOF TOP TENT



| Model | Package size | Opened size | Weight |
|-----------|---------------|----------------|--------|
| CARTT02-1 | 145×125×30 cm | 310×140×130 cm | 55 kg |
| CARTT02-2 | 165×125×30 cm | 310×160×130 cm | 59 kg |
| CARTT02-3 | 195×125×30 cm | 310×190×130 cm | 63 kg |



MATTRESS

240x140x6 cm
non-deforming sponge
30 density



LADDER

aluminum telescopic ladder
70-230 cm



ANNEX

220x180x210 cm
280g polyester cotton canvas
PU coated

> AUTOMATIC ROOF TOP TENT



- Automatic open design, totally remote operation even include the ladder
- New material 6063-t5 industry aluminum bracing
- Compound mattress with solid bottom and comfort surface provides comfortable sleeping conditions
- Full landscape design with transparent windows and one dormer
- Solar panel on the shell with battery can afford the lighting in the tent
- User-friendly design with outer handles and other details inside
- Complete accessories products include anti-mosquito nets, awnings and awning houses



closed state




opened shell



opened tent

> AUTOMATIC ROOF TOP TENT



Dormer 80×70 cm



Circulation vents



Outer handles

CARTT06

Opened size: 220(L) x 140(W) x 130(H) cm

Closed size: 149 x 140 x 37 cm

Package size: 155 x 145 x 41 cm

Shell material: Fiberglass with solar panel

Rain fly: 420D polyester oxford with taped seams and PU coated

Body: 300g new dyed cloth, PU coated, W/P 3000mm, W/R

Transparent window: PVC

Mattress: 2 cm sponge + 4 cm foam (bottom)


Mattress cover: Cotton + polyester (bottom)

Travel cover: 550g PVC in black

Tent floor: 6063-t5 industry aluminum frame with 12 poles


N.W.: 70 kg

G.W.: 80 kg



6063-t5 industry aluminum frame

Industrial aluminum has beautiful appearance, dirty resistant, easy to clean. It's environmentally friendly, no soldering for assembled products; it's also light-weighted and portable, extremely easy to carry.



Drag reduction design

CARTT06 adopts reinforced fiberglass shell and its advantages are high strength, high toughness and ultra-light. The drag design, fashion styling and solar panels of the shell also give users a more comfortable outdoor experience.



2 remote keys

> INFLATABLE CAMPING TENT



- One single interconnected unit frame to pitch a tent quickly and simply
- Outer fabric is UV-proof, please pay attention to the sun incidence angle
- The tent has been in turntable test and 50 km/h wind(level 6) tunnel test (ATT: tent's toward and the pegs would be used correctly)
- Air vents and anti-mosquito gauze affords excellent air flow for campers
- PU coated for outer polyester fabric has been in lab test for 4 hours water scouring (200 mm water/H./Sq.m)

Fly: 210T oxford PU coating, waterproof 3000 mm

Body: 180T polyester breath ability

Floor: 210D oxford PU 3000mm

Pole: TPU, fireproofing PE, three layers filling pipe

Peg: Galvanized iron peg


Rope: Aging resistance, luminous rope

Bag: Carry bag with tent material, 1pc per carton

Extra parts: Push pull pump and repair kit included



1~2 persons



CAIT03-1

Product size: 305x100x125 cm


Package size: 58x25x40 cm

G.W.: 6.7 kg

N.W.: 6.0 kg



3~4 persons



CAIT03-2

Product size: 390x250x150 cm

Package size: 60x40x20 cm

G.W.: 9.6 kg

N.W.: 8.0 kg



Pipe material



Inner structure



Transparent window



Push pull pump



Intake port

> SWAG TENT



SWAG TENT

Body: 340g heavy duty rip-stop cotton (canvas), PU 2000 mm, W/P, W/R

Floor: 450g grid PVC

Window: Heavy duty black mesh

Hoop: Aluminum alloy

Pole: Fiberglass poles

Mattress: 210x85x5 cm non-deforming sponge, density 30, vacuum packed

Carry bag: PVC oxford in black

CAST01

Product size: 215x90 cm

Package size: 95x35x35 cm

N.W.: 8.5 kg

G.W.: 11 kg

CAST02

Product size: 215x146 cm

Package size: 157x35x35 cm

N.W.: 14 kg

G.W.: 16 kg





CABT01

Floor size: Dia500 cm

Roof height: 300 cm

Wall height: 60 cm

Door height: 170 cm

Body: 100% cotton canvas, 280g, PU coating, waterproof, mildew resistant

Floor: 540g rip-stop PVC, waterproof, detached with the tent by a zipper

Mesh: 40g white, inner door and windows

Central pole: Dia37 mm galvanized steel tube, 1.5 mm thickness, copper-zinc coated

Door: Zipper door with mesh (mesh is optional)



The Product Show



PLAYDO canvas bell tents are constructed with a fully attached waterproof ground sheet and a water resistant cotton upper, only one pole in the central. Ventilation comes from a fully closable front screen door as well as 4 closable sidewall screen windows.

With its fashion simple design, multi-sizes for chose (4M, 5M or 6M in diameter), the bell tent will suit who like space. Generally, it can sleep 4-6 people comfortably. All the tents can sleep more people if you use mats, so it is ideal for a big family camping, outdoor festivals, party, hunting trips, the beach, meeting and events.

> INFLATABLE CARAVAN AWNINGS



- Additional camping tent for RV cars to expand activity space
- Three-layer inflatable poles makes the tent firm and stable
- Convenient to set up and fold up
- Top quality material and best craft make the tent fashionable

Awning rail height: 235-250 cm

Fabric: 300D taslan W/R PU1000

Windows: Cold proof 0.19 PVC sequins

Rope: 2.0 cm polyester webbing

Mesh: B1 anti-aging strengthen mosquito mesh

Poles: EU standard TPU inflatable pipe(dia15.7 mm)

Nails: Galvanized iron nail (4mm/17 cm)

Accessory: Push pull pump

Package with pump: 82x41x41 cm



CICA01-1

Product size: 250x260x240 cm

Package size: 80x39x39 cm

Weight: 18.5 kg



CICA01-2

Product size: 250x390x240 cm

Package size: 85x44x44 cm

Weight: 26 kg



- Vehicle awnings can offer shade for campers when camping, usually used together with car roof top tents
- Poles are light-weight and adjustable, apply to almost all cars
- High quality and waterproof fabric support to use in any rough weather
- Awning walls are optional as accessory to make awning houses



CATA01

Opened size: 200x200x200 cm

Package size: 205x12x15 cm

Body: High quality 280g rip-stop poly-cotton canvas, PU coated, W/P

Pole: Aluminum alloy telescopic pole, dia22/25 mm

Cover: Heavy duty 1200D/ 680g PVC

Options: Awning walls/ full mesh walls/ fabric walls

Weight: 10 kg



CAFA01

Fabric: 280g poly-cotton rip-stop canvas, W/P, W/R

Cover: Heavy duty 1200D/ 680g PVC

Parts: All metal assemble and mounting parts are made by stainless steel, all eyelets on tent are copper to avoid rusting

Pole: Aluminum alloy telescopic pole dia22/25 mm

G.W: 22 kg

Optional: Awning walls/ full mesh walls/ fabric walls



- Folding design and compact size make it easy to bring
- All parts are made of top aluminum alloy which ensure the stability
- The max loading is 300 kg, it is practical for outdoor camping
- Table panel adapts wear-resisting process; the joint using silicone rubber pad to make it not slip away
- Oxford carry bag with divided inside for the table panels and poles



CAFT01

Open size: 120×55×65 cm

Package size: 66×28×17 cm

Color: Silver / black

Net weight: 5.4 kg

Bearing: 50 kg

Material: Aluminum panels;

high-strength hollow tube



- Aerospace aluminum makes the chair light-weighted
- Folding design makes it easy to bring
- Strong structure and rational design for the human body
- Eco-friendly seat fabric is washable and easy to clean
- Nylon strengthened plastic connector make it sturdy and balanced



CAFC01

Opened size: 50×50×80 cm

Package size: 82×30×23 cm

Tube: Φ16×0.7-0.8 mm steel tube with powder coated

Fabric: 600D polyester with PVC coated

Package: 210D carry bag; 6 pieces/ctn

G.W.: 13 kg

N.W.: 12 kg

Max loading: 120 kg



> CAMPING ACCESSORIES



- High quality material include plastic shell, glass top, stainless steel hand shanks, shockproof
- The lamp will be charged in the sun, fully charged only takes 3 hours lighting. It also can be charged by AC charging cord.
- Batteries are available too, 3 x AA batteries (not included) at bottom.
- 6 LED, low power consumption, operation life up to 100,000 hours.
- Special stretching control design.
- Safety energy saving, portable and high brightness.
- Used for camping, reading, boating, fishing, car repairs, etc.

CAC101

Product size (L x W x H): 13 x 8.8 x 8.8 cm
 Package size (L x W x H): 13.5 x 9.5 x 9 cm
 Package weight: 0.399 kg
 Body material: ABS
 Power source: AA, AC charging, solar power
 Base type: 2G11
 Led quantity: 6
 Lighting period: 10 hours
 Switch type: others
 Color: multi-color
 Wattage: 3





- Mummy & envelope style: fit the human body
- Thick design: wind-resistant, increased warmth
- Dual opening: can be used as a blanket
- Two sides open: can be spliced to be double sleeping bag
- Double-layer: forming a spacer insulation, increased 5°C



CASB01

Size: 215x80(60) cm

Fabric: 310T high density pongee printing fabric

Inner fabric: 310T soft plus high density printed pongee

Color option: Rose-carmines/ yellow/ blue

Filling: 175g/m²x2 four-hole hollow cotton, double-parallel staggered process

Zipper: 5 # nylon zipper with double lock and loop

Package: Black compression bag

Weight: 11.5 kg

Thermometric scale: -7°C/+0°C/+15°C

> CAMPING ACCESSORIES



- 201 stainless steel easy to clean
- Folding design for unique compact size
- Carry bag makes the BBQ grill get rid of dust



CABG02-S

Material: 201 stainless steel
Product size: 26x26x10 cm
Package size: 27x27x2 cm
Weight: 1.4 kg

CABG02-L

Material: 201 stainless steel
Product size: 33x33x13 cm
Package size: 34x34x2 cm
Weight: 2.3 kg

